

INDEX MAPS.

T.11.N R.7W 2nd Mer.

	198	198-199	198-199	198-199	197-199	197-200						
201	6	220	5	215	4	212	3	208	2	205	1	197
	220	219		215		212		208		205		
201	7	219	8	215	9	212	10	208	11	205	12	197
	219	219		214		211		208		204		
201	18	218	17	214	16	211	15	206	14	204	13	196
	218	218		214		210		206		204		
201	19	217	20	214	21	210	22	206	23	203	24	196
	217	217		213		210		206		203		
200	30	216	29	213	28	209	27	206	26	203	25	196
	216	216		213		209		206		202		
200	31	215	32	212 ² 212	33	209	34	206	35	202	36	195
	194	193-194	193-194	193-194	193-194	193-195	193-195					

T.12.N R.7W 2nd Mer.

	226-227	226-227	226-227	226-227	225-228	225-228						
230	6	250	5	244	4	241	3	237	2	234	1	225
	249		249		244		240		237		233	
230	7	249	8	244	9	240	10	236	11	233	12	225
	248		248		243		240		236		233	
229	18	248	17	243	16	239	15	236	14	232	13	224
	247		247		242		239		236		232	
229	19	247	20	242	21	239	22	235	23	232	24	224
	246		246		242		238		235		231	
229	30	246	29	242	28	238	27	235	26	231	25	223
	245		245		241		238		235		231	
228	31	245	32	241	33	237	34	234	35	230	36	223
	222		221-222		221-222		221-223		221-223		221-223	

The figures on the lines refer to the page.

Township N. 12. North of Range N. 7 West of the 2nd Mer. Indiana
Ch. Sec.

South Boundary

Met On a Random line Cuts South Boundary of Sec. 36.
T. 12. N. R. 7 W.

40.00 Set a trip. 7 in sec. post. on the East side of prairie
80.00 Set a trip. 7 post for the cor. of Sec. 35 & 36.
Grade last 7 prairie

Met On a Random line Cuts South Boundary of Sec. 35.
T. 12. N. R. 7 W.

40.00 Set a trip. 7 in sec. post. in prairie
55.00 Sub. prairie
80.00 Set a trip. 7 post for the cor. of Sec. 34 & 35.
Grade 10th 7 mile prairie; East 7th horse land; finally
timbered with Oak & Hickory.

Met On a Random line Cuts South Boundary of Sec. 34.
T. 12. N. R. 7 W.

40.00 To a Brook. 5 miles NW, corner of
40.00 Set a trip. 7 in sec. post. (trip. 7)
80.00 Set a trip. 7 post for the cor. of Sec. 33 & 34.
Grade same as last 7 of last sec.

Met On a Random line Cuts South Boundary of Sec. 33.
T. 12. N. R. 7 W.

16.00 To a Brook. 3 miles NW, corner of Sec.
40.00 Set a trip. 7 in sec. post.
80.00 Set a trip. 7 post for the cor. of Sec. 32 & 33.
Grade last; Timber Oak & Hickory.

Met On a Random line Cuts South Boundary of Sec. 32.
T. 12. N. R. 7 W.

40.00 Set a trip. 7 in sec. post.
44.00 To a Brook. 5 miles NW, corner of Sec.
80.00 Set a trip. 7 post for the cor. of Sec. 32 & 33.

Comp

Land has Timber Oak & Hickory.

West	On the same line On the South Boundary of T. 31. T. 12. S. R. 7 N.
4000	Set a trap 1/4 in. apart.
83.00	Set 225 miles South South of Harris' cor. for T. 11. S. 12. S. R. 7 N. 8 N.
	Land has Timber Oak & Hickory.
East	On the same line On the South Boundary of T. 31. T. 12. S. R. 7 N.
4000	Set the traps 1/4 in. apart on the same line from which, W. Oak. 24 in. apart. N. 12 E. 26 miles east; & W. Oak. 24 " " " S. 12 N. 34 " "
80.00	Set the traps 1/4 in. apart on the same line for the cor. of T. 31 & 32 from which, W. Oak. 30 in. apart. N. 50 N. 50 miles east and " Hickory 16 " " " S. 36 E. 45 " "
East	On the same line On the South Boundary of T. 32. T. 12. S. R. 7 N.
4000	Set the traps 1/4 in. apart on the same line from which, W. Oak. 36 in. apart. N. 59 N. 51 miles east; & no other timber seen.
80.00	Set apart for the cor. of T. 32 & 33. On the same line from which, W. Oak. 20 in. apart. N. 9 E. 41 miles east; & no other timber seen. S. 24 " " " N. 78 N. 60 " "
East	On the same line On the South Boundary of T. 33. T. 12. S. R. 7 N.
4000	Set the traps 1/4 in. apart on the same line from which, W. Oak. 30 in. apart. N. 85 N. 62 miles east; & no other timber seen.
80.00	Set the traps 1/4 in. apart on the same line for the cor. of T. 33 & 34 W. Oak. 24 in. apart. N. 41 E. 24 miles east; &

T. N. 12. N.R. No. 77. 2nd. Mm. Sec. 2

223

New 10716 in. diam. trees. S 65 N 26 1/2 m. N. 26;

East On the New line On the South Boundary of Twp. 34.
T. 12. N.R. 77.

40.00 Set the trip 1/2 in. sap post on the New line from which,
New 10716 in. diam. trees. N 33 E 5 1/2 m. N. 26;
No. 8 " " " S 71 N 36 " "

80.00 Set a post for the cor. of Twp. 34 S 35 on the New line from
which, T. 12. N.R. 18 in. diam. trees. N 86 N. 22 1/2 m. N. 26;
under, No. 18 " " " S 62 E 39 " "

East On the New line On the South Boundary of Twp. 35.
T. 12. N.R. 77.

40.00 Set the trip 1/2 in. sap post in the prairie.

80.00 Set " " Post on the New line for the cor. of Twp. 35 T 36
in a prairie. No timber near.

East On the New line On the South Boundary of Twp. 36.
T. 12. N.R. 77.

40.00 Set the trip 1/2 in. sap post on the New line from which,
T. 12. N.R. 10 in. diam. trees. N 82 E 45 1/2 m. N. 26;
No other timber near.

80.00 Set the post cor. of T. 11 T. 12. N.R. 60 1/2 N.

East Boundary.

North On the East Boundary of Twp. 36. T. 12. N.R. 77.

7.00 Set a post 10 links m. N. 26.

28.00 Entered a Prairie.

40.00 Set a post in prairie.

80.00 Set a post for the cor. of Twp. 25 T 36 in prairie.

Some 1/2 m. N. 26. Oak land; East to prairie.

North On the East Boundary of Twp. 25 T. 12. N.R. 77.

30.00 Set Prairie

1

40.00	Set apart for post from which 13 Oak. 18 in. diam. trees 40 ft 19 limbs each; and as Do. 18 " " " N29 E 26 " "
48.50	To a Brook. 25 limbs each, corner E.
80.00	Set apart for the cor of sec. 24 & 25 from which are Oak 9 in. diam. trees. N43 E 27 limbs each; & as Oak. 18 " " " N48 W 38 " " Good Oak land, on last 1/2 mile.
Sett	On the East Boundary of sec. 24. T. 12. N.R. 7 W.
29.00	To a Brook. 3 limbs each, corner E.
30.00	To a Sugar. 8 in. diam. trees in the line.
40.00	Set apart for post from which Sugar. 18 in. diam. trees. N67 W 25 limbs each; & as Do. 6 " " " N34 E 11 " "
48.00	To a Brook. 5 limbs each, corner E.
57.25	To a Oak. 36 in. diam. in the line.
80.00	Set apart for the cor of sec. 13 & 24 from which Sugar. 20 in. diam. trees. N60 E 38 limbs each; & as Sugar. 16 " " " N72 E 28 " " Good N. 1/2 mile. but also oak; Iron Oak, Sa- gar, Oak, &c. last 1/2 mile from.
Sett	On the East Boundary of sec. 13. T. 12. N.R. 7 W.
5.00	To a Brook. 3 limbs each, corner S.E.
40.00	Set apart for post from which Sugar. 17 in. diam. trees. N82 W 7 limbs each; & as Sugar. 16 " " " East 16 " "
65.50	To a Sugar. 16 in. diam. in the line.
75.00	To a Brook. 3 limbs each, corner E.
80.00	Set apart for the cor of sec. 12 & 13. From which Sugar. 8 in. diam. trees. N28 E 3 limbs each; & as Sugar. 12 " " " N13 W 10 " " Good Oak land.

T. N. 12 N.R. N. of W. 2nd (Mn. Ind.)

43.00 To Brook. 4 miles out, corner N.
 72.00 " " Do. 4 " " " N.
 80.00 Set a timber post for the cor. of Lat. 34 & 35.
 Land had already been: Timber Oak Hickory, Ash, Sugar,
 Buck &c.

Met On a Random line On the South Boundary of Lat. 34.
 T. 13 N.R. 7 W.
 40.00 Set a timber post for the cor. of Lat. 34 & 35.
 80.00 " " " " " " " Lat. 33 & 34.
 Run to some extent mile.

Met On a Random line On the South Boundary of Lat. 33.
 T. 13 N.R. 7 W.
 29.00 To Brook. 3 miles out, corner N.
 38.00 " " Do. 3 " " " N.
 40.00 Set a timber post for the cor.
 80.00 " " " " " " " Lat. 32 & 33.
 Run to some extent mile

Met On a Random line On the South Boundary of Lat. 32.
 T. 13 N.R. 7 W.
 2.00 To Brook. 3 miles out, corner N.
 40.00 Set a timber post for the cor.
 50.00 To Brook. 10 miles out, corner N.
 70.00 " " Spring Corner
 80.00 Set a timber post for the cor. of Lat. 31 & 32.
 Run to some extent mile.

Met On a Random line On the South Boundary of Lat. 31.
 T. 13 N.R. 7 W.
 40.00 Set a timber post for the cor.
 86.00 struck Harris's Town cor. for T. 12 N.R. 7 W.
 He has not continued his north line any farther.

T. No 12. A.R. No 1 of N. D. and M. Ind.

Land some arlat and.

Corrected and marked Holms East.
East On the true line On the South Boundary of la. 31.
T. 13. A.R. 7 N.
46.00 Set the trip? in support on the true line from which,
Back 18 in. clear from N 83 E. 17 links out; & a
Lg. 8 " " " S 63 N. 14 "
80.00 Set the trip? post on the true line for the cor of lat. 31 & 32
from which, Back 15 in. clear from S 35 N. 12 links out;
made a S 42 E. 18 " " " N 27 E. 31 " "

East On the true line On the South Boundary of la. 32.
T. 13. A.R. 7 N.
40.00 Set the trip? in support on the true line from which,
S 42 E. 10 in. clear from S 22 N. 13 links out; & a
Back 8 " " " North 23 "
80.00 Set the trip? post on the true line for the cor of lat 32 & 33.
from which, Back 14 in. clear from S 18 E. 18 links out;
made a S 40 E. 10 " " " N 36 N. 18 " "

East On the true line On the South Boundary of la. 33.
T. 13. A.R. 7 N.
40.00 Set the trip? in support on the true line from which,
Back 12 in. clear from S 33 N. 30 links out; & a
Lg. 30 " " " N 34 E. 39 "
80.00 Set a post (trip?) on the true line for the cor of lat 33 & 34.
from which, S 46 E. 12 in. clear from S 56 E. 40 links out
made a S 44 E. 5 " " " N 24 N. 25 " "

East On the true line On the South Boundary of la. 34.
T. 13. A.R. 7 N.
40.00 Set the trip? in support on the true line from which,
Back 18 in. clear from S 60 E. 6 links out; & a

T. N. 12. N. H. No. 77 and (Mm. Ind.?)

80.00 R. Oak 30 in. diam. bears. N 64 W. 24 links each;
Set the tripit post on the true line from which (comp. 405)
Sugar 9 in. diam. bears. N 7 E. 7 links each; & a
Do 8 " " " N 30 W. 38 " "

East On the true line On the South Boundary of la. 35,
T. 13. N. H. 77.

40.00 Set the tripit post on the true line from which
Oak 9 in. diam. bears. N 12 E. 19 links each; & a
Logwood 6 " " " N 8 E. 20 " "

80.00 Set the tripit post on the true line for the cor. of lat. 35 & 36.
from which a Elm 24 in. diam. bears. N 61 E. 2 links each
made on Elm. 48 " " " Set W. 98 " "

East On the true line On the South Boundary of la. 36,
T. 13. N. H. 77.

40.00 Set the tripit post at the true line from which
Maple 16 in. diam. bears. S 7 W. 16 links each; & a
Oak 6 " " " N 57 E. 31 " "

80.00 Set post on of lat. 36 & 37 N. 60° 77.

Surveyed by
Alexander Holmes L.S.

West Boundary.

North On the East Boundary of la. 36. T. 13. N. H. 77. v. 6° 40' N. W.
36.50 Log Brook 12 links wide, corner S. W. April 30th

40.00 Set a post from which
Oak 13 in. diam. bears. N 34 W. 12 links each; & a
Oak 12 " " " N 87 E. 34 " "

80.00 Set a post for the cor. of lat. 35 & 36. from which is
W. Oak 9 in. diam. bears. N 84 E. 11 links each; & a
W. Oak 12 " " " S 60 W. 37 " "

Land 10th 1/2 mile good farming land; the last
1/2 " land and rather wet. The timber

P. N. 12. A. R. N. 7. M. 2nd. New. Ind.?

all blown down by high wind this Spring.

North Cape East Branch of Ca. 25. T12. H. 877.

40.00 Draft on Post from which

Psych. 12 in dir: 12m. N 9 W. 46 links, rechts: 7a

Enga. 7" " " N 70 E. 83 " "

80.00 Set apart for the car of Feb. 24 1925 from which

479 Punkt 5 in die hands. 8970.19 Punkt nach: Pa

Sugar 13 " " "

Shed bark rolling and part peeled; Trunk Bark, Ligno-
gum, Poplar, Oak & Hick. Sound rather wet.

Cast & will fallen timber

North Cape East Boundary of sec. 24 T. 12 N. R. 8 W.

1.50 Fox Brook. 5 miles up, Leaven. W.

3457 " " Lb S " " "

Hood Let a fly report from which,

Height 11 in. diam. base. No 2 & 9 looks much; v. n.

Магн. 94 " " 977 N. 15

80.00 Set a post for the 20 of Feb. 1824 from which,

W Oak 15 mi. west from D3E. 70' thick, rich; Ca_2

Sym. 13 " " " N 53 7 W. 86 " "

Good wood, Sugar Oak, Hickory and Maple. + Gum
too wet for farming.

North Cape East Brundage, Ia. B. T. R. N. H. & W.

40.00 Sept 11th 1891 From White,

Kutter on die hant. 143 N. 28 links auct; r.

R.R. 9₀ 67 E. 60

55.00 To Brook 6 weeks mtd, Lima N.W.

65-50 To opening bracket. 3 mi. N. center. Hence the Spring
15 1/2 miles East of the line.

80.00 Sub. appat for the cross. Rs. 12 & 13 from which,

Engar. 8 m. n.d. hrs. 548 E.M. both dist. & a

T. N. 10. N. R. N. 7 W. 2nd Mer. Ind. a

W. Oak. 9 in. diam. beam. S54 N. 15 miles creek;
 Land R. 1/2 mile land and mt. 3rd mt.; the last 1/2
 mile a little rolling; and on edling good for farming
 Timber Oak, Beech, Poplar & Hickory.

North On the East Boundary of T. 12. N. R. 8 W.
 11.00 To a Brook. 10 miles m. d., from N.
 26.50 To a Spring branch. Grassy S. W.
 40.00 Set a 1/4 sap for Gum whistles
 Poplar. 48 in. diam. beam. S79 W. 24 miles creek; & a
 W. Oak. 18 " " S57 E. 16 " "
 48.50 To a Brook. 3 miles m. d., from N. W.
 80.00 Set a sap for the cor of T. 12 N. 12 from whistles.
 Beech. 12 in. diam. beam. S64 E. 28 miles creek; & a
 W. 8 " " " S18 W. 34 " "
 Land on edling good for farming, Timber Oak, Hickory,
 & Poplar, Sugar.

North On the East Boundary of T. 12 N. R. 8 W.
 28.00 To a Brook. 10 miles m. d.,
 40.00 Set a 1/4 sap for Gum whistles
 Sugar. 8 in. diam. beam. S7 E. 22 miles creek; & a
 Poplar. 36 " " " S14 N. 45 " "
 75.00 To a Brook. 4 miles m. d., from N. W. Road water.
 79.00 " " 3 " " " " "
 80.00 Set a trap for Rat for the cor of T. 12 N. 13 R. 8 W.
 Land of good timber and good for farming land.
 Timber Beech, Sugar, Ash, Poplar, Oak & S.
 Surveyed by
 William Harris D.S.

Subdivisions
 North Lettuan T. 35 R. 36, T. 12 N. R. 7 W. T. 630.
 25.00 Deer Prairie.

I. N. 12. N.R. N. of off 2nd. Min. Ind.

40.00 Let a 1/2 ca post from which,
 73 Oak. 6 in. diam. trees. 156 ft. 124 limbs each; 45
 No 8 " " " 170 ft. 118 " "

12.00 (52.00) To a Prairie

80.00 Let a post for the cor of lot. 25, 26, 35 & 36 from which,
 73 Oak. 15 in. diam. trees. 178 ft. 223 limbs each;
 Land. 2nd rate Prairie

East On a Random line between Lot 25 & 36. I 12 N.R. 7 N.

40.00 Let the timber 1/2 ca post in prairie

79.73 Intersect the East Boundary 83 miles South of the post.
 cor of lot. 25 & 36.
 Land. 3rd rate.

West On the same line between Lot 25 & 36. I 12 N.R. 7 N.

39.86 Let the timber 1/2 ca post at the cor. each in the same line.

79.73 To the post cor of lot. 25, 26, 35 & 36.

South On a Random line between Lot 25 & 26. I 12 N.R. 7 N.
 25.00 To a Prairie.

40.00 Let a timber 1/2 ca post in prairie

79.77 Intersect the East & West line. 40 miles West of the post.
 cor of lot. 25, 26, 35 & 36.
 Land. 2nd rate.

North On the same line between Lot 25 & 26. I 12 N.R. 7 N.

39.88 Let the timber 1/2 ca post at the cor. each in the same line. in the
 prairie

79.77 To the post cor of lot. 23, 24, 25 & 26.

East On a Random line between Lot 24 & 25. I 12 N.R. 7 N.

40.00 Let a timber 1/2 ca post.

80.40 Intersect the East Boundary 110 miles South of the post.
 cor of lot 24 & 25. Land. 2nd rate prairie.

D. N. R. R. R. N. 7th. 2nd. Mr. Ind.

West 40.20	On the same line between Lat. 24 & 25. T. 12 N. R. 7 W. Set the tripnet 7 th support at the anchorage on the same line from which a Lynx 12 in. diam. beam. S 69 E 8 links out; & a Black. 12 " " " NW 12 " "
80.40	To the post or off lat. 23, 24, 25 & 26.
South 40.00 79.28	On a Random line South South Between Lat. 23 & 24 T. 12 N. R. 7 W. Set a tripnet 7 th support. v. 6° 30' Intersect the East & West line 13 links west of the post or. of Lat. 23, 24, 25 & 26. Sound Same.
North 39.64 79.28	On the same line between Lat. 23 & 24. T. 12 N. R. 7 W. Set the tripnet 7 th support at the anchorage on the same line from which, Black. 18 in. diam. beam. N 69 E 16 links out; and a, Lbs. 20 " " " SW 11 20 " " To the post or off lat. 13, 23 & 24.
East 34.00 40.00 80.14	On a Random line between Lat. 13 & 24. T. 12 N. R. 7 W. To a Rock 10 links side, bearing S. v. 5° Set a tripnet 7 th support. Intersect the N 13 link East of the post or off lat. 13 & 24. Sound Same.
West 40.07 80.14	On the same line between Lat. 13 & 24. T. 12 N. R. 7 W. Set the tripnet 7 th support at the anchorage on the same line from which a Hawk 74 in. diam. beam. N 58 W 9 links out; & a Yark. — " " " SW 11 10 " " To the post or off lat. 13, 14, 23 & 24.
North 40.00	Return Lat. 13 & 14. T. 12 N. R. 7 W. v. 6° 03'. Set a 7 th support from which a Hawk 74 in. diam. beam. N 43 E 11 links out; & a Beak. 26 " " " SW 11 28 " "

T. N. 12. N. R. N. of W. 9th. Mm. Ind.

80.00	Get a post for the cor off Lat. 11. 12. 13 & 14 from which W. Cor. 20 in air. base. S 43 N 42 links north; & S N 12 E 43 " " Go to 2nd rate; Timber Buck & Clerk &.
East	Cap Ransom line between Lat. 12 & 13. T. 12 N. R. 7 N.
40.00	Get a trip. 7 in La post. N. 5° 00'.
53.50	To a Brook. 15 links mid. corner N.
80.53	Enter lat the East Boundary 19 links South of the post cor. Lat. 12 & 13. Go to hill, and 2nd rate.
West	Cap Ransom line between Lat. 12 & 13. T. 12 N. R. 7 N.
40.26	Get the trip. 7 in La post. at the cor. dist on the line from which, Sugar. 6 in air. base. S 43 N 18 links north; under Sugar. 10 " " " N 14 N. 29 " "
80.53	To the post cor off Lat. 11. 12. 13 & 14.
South	Cap Ransom line between Lat. 11. 12. T. 12 N. R. 7 N.
40.00	Get a trip. 7 in La post.
63.00	To a Brook. 10 links mid. corner E.
80.06	Enter lat the East & West line 17 links N. of the post. 11. 12. 13 & 14. Go to the same.
North	Cap Ransom line between Lat. 11 & 12. T. 12 N. R. 7 N.
40.03	Get the trip. 7 in La post at the cor. dist on the line from which, Sugar. 12 in air. base. N 77 N. 21 links north; under 20. 4 " " " N 73 E. 31 " "
80.06	To the post cor off Lat. 1. 2. 11 & 12.
East	Cap Ransom line between Lat. 1 & 2. T. 12 N. R. 7 N.
40.00	Get a trip. 7 in La post. N. 5° 10'.
51.00	To a Brook. 20 links mid. corner S E.
80.60	Enter lat the East Boundary 20 links South of the post.

T. N. 12. N. R. N. 7 N. 2nd. Mer. Ind.

Corr of Lat 1472.

Clouds good 2nd rate, Timber Sugar, Poplar & Hickory

West
40.30 On the line between Lat. N 12. 12. N. R. 7 N.
Set the temp. 7th support at the av. dist on the line
from which, Eastward 6 in. air temp. N 13 N. 12 the air
under, 10. " " " 83.3 E. 7. "
80.60 To the far cor of Lat. 1. 2. 11. + 12.

North
12.00 Between Lat. N 12. 12. N. R. 7 N.
To a Brook. 6 miles min, corner NW.
40.00 Set a 7th support from which
Elev. 12 in. air temp. 83.1 E. 31 miles dist; 7.5
W. Oct. 36 " " " N 18 N. 24 " "
74.00 To a Brook. 8 miles min, corner NW.
78.40 Enter lat the N. Boundary 106 miles West of the first cor.
of Lat. 35 N 36. 7. 13. N. R. 7 N. and set a post for the "
" " 102 from which
W. Walnut 12 in. air temp. 83.6 E. 5 miles dist; 7.5
Sugar. 15 " " " 84 N. 20 " "
Clouds but not out.

South
40.00 On the line between Lat. 34 + 35 T. 12. N. R. 7 N.
Set a temp. 7th support R. 6° 30'.
80.98 Enter lat the South Boundary 10 miles West of the first
cor of Lat. 34 + 35.
Clouds good 2nd rate, Timber, Oak.

North
40.49 On the line between Lat. 34 + 35. T. 12. N. R. 7 N.
Set the temp. 7th support at the av. dist on the line
from which, West 8 in. air temp. N 39 E. 27 miles dist;
under, 73 Oct. 15 " " " 87 N. 45 " "
80.98 To the far cor of Lat. 26. 27. 34 + 35.

T. N. 12. A.R. No. 777. 2nd M. Ind.

Work	Between Lat. 26. 135 S. 12. N. 77. W. v. 5°
32.00	Legs & Rainin.
40.00	Set a 1/4 capost from which,
	Wicket 15 in. near beam. N. 41 E. 33 links out; & a
	Ho. 12 " " " N. 45 W. 42 " "
80.00	Set a post for the cor. of lat. 26. 27. 34 & 35 from which,
	W. Oak. 10 in. near beam. N. 85 E. 58 links out; & a
	Wicket 6 " " " S. 97 W. 33 " "
	Sound 2 nd rate.
Work	Between Lat. 26 127. 712 N. 77. W. v. 6° 30'
40.00	Set a 1/4 capost from which,
	Wicket 6 in. near beam. S. 31 E. 36 links out; & a
	Ho. 7 " " " N. 23 E. 27 " "
80.00	Set a post for the cor. of lat. 26. 27. 22 & 23. from which,
	W. Oak. 30 in. near beam. S. 48 E. 24 links out; & a
	Wicket 8 " " " N. 11 W. 38 " "
	Sound 2 nd rate. Sounded Oak. & Wicket.
Work	Between Lat. 23. 126 S. 12. N. 77. W. v. 5°
40.00	Set a 1/4 capost from which,
	W. Oak. 36 in. near beam. N. 73 W. 31 links out; & a
	Wicket 20 " " " S. 4 E. 55 " "
80.00	Set a post for the cor. of lat. 23. 24. 25 & 26 from which,
	W. Oak. 10 in. near beam. N. 46 E. 8 links out; & a
	Legs. 8 " " " S. 47 E. 34 " "
	Sound 2 nd rate; Sounded Oak & Leg.
Work	Between Lat. 22 & 23, S. 12. N. 77. W. Lat. 14. 181 v. 6° 30'
40.00	Set a 1/4 capost from which,
	W. Oak. 36 in. near beam. S. 22. 7150 links out; & a
	W. Oak. 40 " " " N. 21 W. 25 " "
80.00	Set a post for the cor. of lat. 14. 15 22 & 23 from which,
	W. Oak. 30 in. near beam. S. 4 E. 12 links out;

T. N. 12. N. H. N. 7 N. 2nd Mm. Sec.

and a N. Oak 8 in. diam. trees. N 12 W 25 links north;
Good 2nd rate land.

East Return Lat. 14 & 23. T. 12. N. H. 7 N. V. 5°
40.00 Got a 1/4 report from which
N. Oak 8 in. diam. trees. S 8 E. 40 links north; & a
N. Oak 8 " " " N 24 W. 31 " "
80.00 Got a report for the cor. of lat. 13 14 23 & 24. from which
N. Oak 8 in. diam. trees. N 47 W. 3 links north; & a
N. Oak 10 " " " S 48 W. 22 " "
Land same as last mile.

South On a random line between Lat. 14 & 15 T. 12. N. H. 7 N.
40.00 Got a trumpet 1/4 report V. 6° 30'
79.95 Intersect the East & West line. 50 links West of the post
cor. of lat. 14. 15. 22 & 23.
Land the same.

North Return Lat. 14 & 15. T. 12. N. H. 7 N.
39.97 Got the trumpet 1/4 report at the ar. dict. on the true line from
which, Spruce 12 in. diam. trees. N 56 E. 20 links north;
and a " 6 " " " N 84 W. 29 " "
79.95 To the post cor. of lat. 10. 11. 14 & 15.

West Return Lat. 11 & 14 T. 12. N. H. 7 N. V. 5°
40.00 Got a 1/4 report from which
New 10 1/2 in. diam. trees. S 65 E. 12 links north; & a
N. Oak 12 " " " N 32 W. 39 " "
80.00 Got a report for the cor. of lat. 10. 11. 14 & 15 from which
N. Oak 24 in. diam. trees. N 15 E. 38 links north; & a
New 10 " " " S 20 W. 28 " "
Good 2nd rate farming land. Timber Oak & Birch

North Return Lat. 10 & 11. T. 12. N. H. 7 N. V. 6° 30'.

T. N. 12. N. R. N. of W. 2nd. (M. Ind.)

40.00	Set a 1/4 to post from which Hickory 10 in. diam. trees. N 66 E. 20 links north; & a No. 15, " " S 97 W 13 " "
80.00	Set a post for the cor. of sec. 23. 10. 411. from which Poplar. 36 in. diam. trees. N 11 E. 53 links north; & a Hickory. 40 " " " S 120 W. 11 " " Land bet 2nd. rate. Timber Buck, Poplar, Sugar.
East	Quadrant line from Sec. 24. 11. T. 12. N. R. 7 W.
30.00	To a Brook. 10. links north, corner N. E. " 15.00'
40.00	Set a 1/4 to post from which Poplar. 30. in. diam. trees. S 34 W. 15 links north; & a Hickory 8 " " " S 24 E. 18 " "
80.00	Set a post for the cor. of sec. 1. 2. 11. 412. from which an. Elm. 8 in. diam. trees. S 80 W. 9 links north; & a Ash. 4 " " " S 87 E. 18 " " Land goes to 2nd. rate.
North	Return Sec. 23. T. 12. N. R. 7 W.
32.50	To a Brook. 4 links north, corner N. W.
40.00	Set a 1/4 to post from which Ash. 18 in. diam. trees. S 18 W. 7 links north; & a Sugar. 15 " " " S 77 W. 24 " "
50.00	To a Brook. 6 links north, corner N. W.
77.75	Set a post for the boundary 120 links N. of the post on sec. 23. 34 & 35. T. 13. N. R. 7 W. and set a post for the cor. of sec. 23. from which a Elm. 15 in. diam. trees. S 61 E. 30 links north under a. Buck. 10 " " " S 61 W. 1 " " Land bet Timber Poplar, Ash Oak, Buck, Sugar, Hickory & a. Minding good farming land.
North	Return Sec. 33 & 34. T. 12. N. R. 7 W.
40.00	Set a 1/4 to post from which Hickory 10 in. diam. trees. S 45 W. 19 links north; & a

T. N. 12. N. R. 7. W. 2nd. Mer. Ind.

80.00	<p>Cap 10 in. dia. beam. N 72 E 46 links each; Set a post for the cor of Lat. 27. 28 33 + 34 from which W Oak 18 in. dia. beam. N 85 W 74 links each; &c, Log. 24 " " " S 33 E 9 " " Land had 1st rate; Timber Oak & Hick.</p>
Met 40.00 19.30	<p>Quadrangle line between Lat 27. 34 T. 12. N. R. 7. W. Set a temp. post for support. Intersect the N 85 W line at the post 74 links north of the post on off Lat. 27. 28 33 + 34. Land 2nd rate.</p>
East 39.66. 19.30	<p>Quadrangle line between Lat. 27. 34 T. 12. N. R. 7. W. Set the temp. post at the on. side on the true line from which a W Oak 26 in. dia. beam. S 57 W. 16 links each under Log. 18 " " " S 87 E 32. " To the post on off Lat. 26. 27. 34 + 35.</p>
North 40.00 80.00	<p>Return Lat 27. + 28 T. 12. N. R. 7. W. Set a 74 support from which a W Oak 19 in. dia. beam. S 87 W 57 links each; &c, Log. 20 " " " N 76 E 44 " " Set a post for the cor of Lat. 21. 22, 27. + 28 from which W Oak 15 in. dia. beam. N 71 E 32 links each; &c, Log. 18 " " " S 82 W 58 " " Land had made good for farming 2nd rate; Timber Oak & Hick.</p>
Met 40.00 80.31	<p>Quadrangle line between Lat. 22 + 27 T. 12. N. R. 7. W. 15 30 Set a temp. post for support Intersect the N 85 W line 14 links north of the post cor of Lat. 21. 22. 27 + 28. Land 2nd rate, land, Timber Oak & Hick &c.</p>

T. N. D. N. R. N. T. N. D. N. (M. S. D. N.)

East On a true line between Sec. 22 & 27 T. 10. N. R. 7. W.
 40.15. Set the tripst 7/8 sapst at the ar. dist. in the true line from
 which, Neap 14.5 in. air. time 935 E. 31 links north; & a
 14.8 " " " 111 E. 39 " "
 80.31 To the post on of sec. 22, 23, 26. & 27.

North On a true line between Sec. 21 & 22 T. 10. N. R. 7. W.
 10.00 Set a Brook. 8 links north. Sec. 21.
 40.00 Set a 7/8 sapst from which
 W Oak. 14 in. air. time 918 E. 50 links north; & a
 20.20 " " " 1577.24 " "
 80.00 Set a post for the cor of sec. 15, 16, 21 & 22 from which
 W Oak. 18 in. air. time 928 E. 24 links north; & a
 Neap 20 " " " 11077.49 " "
 Land well and good for farming; Timber Oak Hick,

West On a Random line between Sec. 15 & 22 T. 10. N. R. 7. W.
 10.00 Set a tripst 7/8 sapst.
 80.41 Into set the N. 15 line 2 links North of the post on of sec.
 15, 16, 21, 22. Land same.

East On a true line. Between Sec. 15 & 22 T. 10. N. R. 7. W.
 40.20 Set the tripst 7/8 sapst (from which) (on a true line)
 Elm. 6 in. air. time 14577.6 links north; & a
 20.6 " " " 156.23 " "
 80.41 To the post on of sec. 14, 15, 22, & 23.

North On a Random line between Sec. 15 & 16 T. 10. N. R. 7. W. On a true line.
 39.84 Set the tripst 7/8 sapst. at the ar. dist. with the true line from
 which, Neap 30 in. air. time 9577.42 links north; &
 Eng. 10, " " 161 E. 15 " "
 79.68 To the post on of sec. 9, 10, 15 & 16.

South On a Random line between Sec. 15 & 16 T. 10. N. R. 7. W.

I. N. P. N. N. 7. 2nd Mm. Ind.

40.00 Set a trap for 2nd post
 79.68 Set out the ESW line. 42 links West of the post cross at
 15.16.21. 122.

Good 2nd rate land.

West Return Sur 10 + 15 7 10 N. 7 N. 5.

40.00 Set a trap for 2nd post from which
 N. Oak 12 in. diam. trees. 83 E. 26 links each; 72
 Heats 15 " " " N 45 N. 10 " "

80.00 Set a post for the cross at 9.10.15 N 16 from which
 Heats 15 in. diam. trees. 87 N. 9 links each; 72
 N. Oak 15 " " " N 50 N. 35 " "

Good 2nd rate land.

North Return Sur 9 + 10 7 10 N. 7 N.

40.00 Set a trap for 2nd post from which
 N. Oak 30 in. diam. trees. 88 N. 19 links each; 72
 Heats 18 " " " N 47 E 34 " "

70.00 Top Brook & links trees.

80.00 Set a post for the cross at 34. 9 + 10 from which
 N. Oak 6 in. diam. trees. 83 E. 13 links each; 72
 Lp. 6 " " " N 11 N. 25 " "
 Land had set for another section. Full in timber
 2nd P. Poplar, N. Oak, 4 Buck, Heats, Good land
 for farming.

East Oak Run line between Sur. 9 + 10 7 10 N. 7 N.

15.00 Top Brook & links trees, same N. V.

40.00 Set a trap for 2nd post.

80.25 Set out the N. S. line 101 links North of the post cross at
 2.3 100 N. Land a little rolling. Timber Poplar,
 Ash, Oak, Walnut, Buckeye. Good land for
 farming.

T. No 10 N.R. No 77 2nd Mo. Ind.

South 40.00 80.10	<p>Quadrant line between Lat 28° 29' 31" N. 77° 10'</p> <p>Set a temp. 1st post</p> <p>Set lat the E. 77 line 14 links East of the post cor. of Lat. 28° 29' 32" + 33.</p> <p>Sound hole and 2nd rate; Timber Oak & Hick.</p>
North 40.05 80.10	<p>Quadrant line between Lat. 28° 29' 31" N. 77° 10'</p> <p>Set the temp. 1st post. at the cor. arch on the line from Whick, Hick 75 in. diam. beam. 91° 7' 24 links arch; and cor. 11° 48' 16" " " N 68° 7' 62" "</p> <p>Set the post cor of Lat. 20° 21' 28" + 29.</p>
North 40.00 80.00	<p>Between Lat. 21° + 28' 31" N. 77° 10'</p> <p>Set the 1st post from Whick</p> <p>N Oak. 36 in. diam. beam. N 25° E. 30 links arch; 7° 2'</p> <p>N Oak. - " " " N 83° W 19" "</p> <p>Set a post for the cor of Lat. 20° 21' 28" + 29 from Whick</p> <p>N Oak. 24 in. diam. beam. N 71° E. 25 links arch; 8° 2'</p> <p>N Oak. - " " " N 23° W 40" "</p> <p>Sound hole and 2nd rate; Timber N Oak & Hick.</p>
North 40.00 80.00	<p>Between Lat. 20° 21' 28' 31" N. 77° 10'</p> <p>Set a 1st post from Whick</p> <p>N Oak. 10 in. diam. beam. S 51° E. 21 links arch; 8° 2'</p> <p>Hick 15 " " " N 27° W 48" "</p> <p>Sound hole Timber Oak & Hick 2nd rate.</p> <p>Set a post for the cor of Lat. 16° 17' 20" + 21 from Whick</p> <p>N Oak. 10 in. diam. beam. S 8° E. 8 links arch; 8° 2'</p> <p>N Oak. 8 " " " S 71° W 40" "</p> <p>Timber falling Sound 2nd rate.</p>
East 27.00 40.00	<p>Quadrant line between Lat. 16° 21' 31" N. 77° 10'</p> <p>Set a post 6 links wide, corner N.</p> <p>Set the temp. 1st post</p>

E. N. 12. N. 7 W. 2nd (Main) Sud.

46.00 To a Brook. 6 miles out, leave N.
80.61 Into 2nd the N. 7 W. line 46 miles north of the post on of
Sud. 15.16.21.722.
Said land & 2nd rate; 1st 1/2 mile further south
East 1/2 mile land Timber Heats & Clark.

West On the line between Sud. 16. & 21. I. 12 N. 7 W.
40.30 Let the trip 1/2 in support at the ar. with on the line from
which a J. Clark. 6 mi. dir. from. 854 N. 35 miles out; 83
N. Clark. 18, " " 165 N. 7, " "
80.61 To the post on of Sud. 16.17.20 & 21.

North Return Sud. 16. & 21. I. 12 N. 7 W.
40.00 Let 1/2 in support from which
Sud. 8 mi. dir. from. 83 N. 34 miles out; 83
Sud. 8, " " 143 E. 18, " "
48.00 To a Brook. 15 miles out, leave N. 7 W.
80.00 Let 1/2 in support from the ar. of Sud. 8.9.16 & 21 from which
Heats 14 mi. dir. from. 821 E. 10 miles out; 82
N. Clark. 30, " " 187 N. 24, " "
Land fully and 2nd rate.

East On the line between Sud. 9 & 16. I. 12 N. 7 W.
30.00 To a Brook. 10 miles out, leave N. 7 W.
40.00 Let 1/2 in support
80.50 Into 2nd the N. 7 W. line. 10 miles south of the post on of
Sud. 9.10.15 & 16 Land the same.

West On the line between Sud. 9 & 16. I. 12 N. 7 W.
40.25 Let the trip 1/2 in support at the ar. with on the line from
which, Heats 12 mi. dir. from. 167 N. 13 miles out;
mid. N. Clark. 6, " " 180 E. 21, " "
80.50 To the post on of Sud. 8.9.16 & 21.

T. No 12. N.R. No 7. W. 2nd Mer. Sur.

North Between Sur 8 & 9. T. 12 N.R. 7 W. v. 6° 30'
 40.00 Set a 7/16" suppost from which,
 B Oak 18 in. diam. beam. S 8 W 37 links out; & g
 Key 12 " " " N 7 E 48 "
 80.00 Set a post for the cor. of sur. 4, 5, 8 & 9 from which,
 W Oak 14 in. diam. beam. S 12 W 18 links out; & g
 Buck 12 " " " N 52 W 18 " "
 Land hilly and 2nd rate.

East Small Run line between Sur 4 & 9. T. 12 N.R. 7 W.
 1.00 To a Brook 10 links mid, Course N. W.
 40.00 Set a temporary 7/16" suppost
 55.00 To a Brook 10 links mid, Course N. E.
 75.00 " " Do. 10 " " " N. E.
 80.05 Intersect the N. E. line. 27 links South of the post
 on off sur. 3, 4, 9 & 10
 Land hilly and 2nd rate Land hilly and 2nd
 rate; Timber Buck, Oak, Key 12 & 9.

West On the new line between Sur 4 & 9. T. 12 N.R. 7 W.
 40.02 Set the temporary 7/16" suppost at the cor. at the in the new line
 from which, Log made 6 in. diam. beam S 7 E 15 links
 made a B Oak 12 in. diam. beam S 7 W 17 " "
 80.05 Set the post cor. of sur. 4, 5, 8 & 9.

North Between Sur 4 & 5 T. 12 N.R. 7 W. v. 6° 30'
 21.00 To a Brook 15 links mid, Course S. W.
 40.00 Set a temporary 7/16" suppost from which,
 Buck 24 in. diam. beam. S 85 E 27 links out; & g
 Elm 8 " " " N 31 W 14 " "
 77.88 Intersect the N. E. boundary 61 links West of the post
 cor. of sur. 32 & 33 T. 13 N.R. 7 W. and set a post
 " " " 4 & 5 from which,
 To plan 40 in. diam. beam. N 7 E 10 links out;

T. N. 12. N.R. N. 7 W. 0th Mm. Lm.

ridge Sugar 12 in dia. beam. S 47 N. 23 links out.
Land same as last miles.

South
20.00 Cross Run line between S. 31 & 32 T. 12. N.R. 7 W.
To a Brook 12 links wide, Corner W.
39.50 " " Do. 12 " " " "
40.00 Set a trap 7 1/2 supost.
70.00 To a Brook 8 links wide, Corner W.
82.00 Enter at the South Boundary 15 links West of the
cr. of lat. 31 & 32.
Land part level and part broken; good for farming

North
41.00 Set the trap 7 1/2 supost at the cr. with on the same
line from which,
12 Oak. 6 in dia. beam. N 80 W 8 links out; & on.
Boundary Co. " " S 58 E 9 " "
82.00 To the first cr. off lat. 29.30.31 & 32

West
40.00 Return lat. 29 & 30 T. 12. N.R. 7 W
Set a 1/2 supost from which,
12 Oak. 11 in dia. beam. S 44 E. 23 links out; & on
W Oak. 24 " " " S 75 W. 35 " "
45.00 To a Brook 12 links wide, Corner S.
80.00 Set a post for the cr. off lat. 29.30.31 & 32 from which,
12 Oak. 9 in dia. beam. S 75 E. 26 links out; & on
Do. 12 " " " N 56 W. 24 " "
Land on rolling level and good 2nd rate. Good
for farming. Timber Oak, Hickory, Poplar, &c.

West
40.00 Return lat. 30 & 31 T. 12. N.R. 7 W
Set a 1/2 supost from which,
12 Oak. 6 in dia. beam. S 22 W. 12 links out; & on
Do. 6 " " " S 74 E. 43 " "

T. N. D. R. N. 4th 2nd Mr. Ind.

83.23 Intersect. the West Boundary 292 miles South of the
 post cor of sec. 25 & 36. T. 12 N. R. 8 W. and set a
 " " " 30. & 31 from which
 W Oak. 12 in. dia. trees. S 7 E. 91 links each; 7
 Gum. 12 " " N 26 E. 113 " "
 Land 1st 1/2 mile same. Last 1/2 fallen timber

South
 40.00 On a Road line between Sec. 29 & 30. T. 12 N. R. 7 W.
 Set a trap 1/2 in. saprest.
 80.06 Intersect the E 7 W line 18 miles West of the post cor.
 of sec. 29. 30. 31 & 32
 Land 1st 1/2 mile fallen timber; Last 1/2
 m. Poplar, Birch, W & B Oak. & Sugar. & S.
 Land 2nd rate.

North
 40.03 On the line between Sec. 29 & 30. T. 12 N. R. 7 W.
 Set the trap 1/2 in. saprest at the ar. dish on the line
 from which, Sassafras 8 in. dia. trees. N 20 E. 13 links each
 maple & Hickory 6 " " " S 10 E. 48 " "
 80.06 To the post cor of sec. 19. 20. 29 & 30.

West
 36.50 Between Sec. 20 & 29. T. 12 N. R. 7 W. Dec. 15. 1815.
 A Brook. — living mid, leaves. S.
 40.00 Set a 1/2 in. saprest from which
 W Oak. 18 in. dia. trees. N 85 E. 34 links each; 10,
 20. 24 " " S 5 E. 24 " "
 80.00 Set a post for the cor of sec. 19. 20. 29 & 30 from which
 Maple. 12 in. dia. trees. N 77 E. 25 links each; 7
 W Oak. 24 " " N 5 W. 15 "
 Land 1st 1/2 mile Poplar, Sugar, 13 Oak, W & B
 Oak. Land good for farming

West
 Between Sec. 19 & 30 T. 12 N. R. 7 W.
 T. 5° 30'. Dec. 16th 1815.

T. N. 12. N.R. N. 7 N. 2nd M. Ind.

- 40.00 Set a 1st sup post from which
 93 Oak 30 in. dia. trees. S 66 E. 33 links out; 7th
 Heik 10 " " " N 79 W. 27 " "
 83.96. Intersect the West Boundary 320 links South of the post
 cor of sec. 24 & 25 T. 12 N. R. 8 W. and set a post from
 " " 19.30 from which
 Sugar 10 in. dia. trees. S 12 E. 6 links out; 7th
 W Oak 10 " " " N 44 E. 43 " "
 Good 2nd rate; land.

North Between Sec. 19 & 20 T. 12 N. R. 7 W. S. 6° 30'

- 40.00 Set a 1st sup post from which
 Heik 5 in. dia. trees. N 27 E. 7 links out; 7th
 W. 20 " " " N 83 W. 20 " "
 58.00 To a Brook 10 links out, corner N.
 81.00 Set a post for the cor of sec. 17, 18, 19 & 20 from which
 Heik 10 in. dia. trees N 14 E. 17 links out; 7th
 W. 10 " " " N 10 W. 18 " "
 Good 2nd rate; Timber Buck, Oak, Heik 7th.

East Open Random line between Sec. 17 & 20 T. 12 N. R. 7 W.

- 40.00 Set a tramp 7th sup post S. 5° 30'
 60.00 To a Brook 10 links out, corner N.
 79.95 Intersect the N 15 line 22 links South of the cor of Sec.
 16, 17, 20 & 21.
 Same same as last note.

West On the true line between Sec. 17 & 20 T. 12 N. R. 7 W.

- 39.97 Set the tramp 7th sup post at the cor. with on the true line
 from which, S 68 E. 8 in. dia. trees. N 68 E. 8 links out;
 and Heik 8 " " " S 73 W. 25 " "
 79.93 To the post cor of sec. 17, 18, 19 & 20.

West Between Sec. 18 & 19 T. 12 N. R. 7 W. Sec. 14, 18 & 25

T. N. 12. N. R. N. 77. 2nd Mer. Sur.

40.00 Set a 1/4 section from which T. 5° 30'
 11 Oak. 5 in. diam. trees N46 E. 20 miles dist. Va.
 Poplar. 8 " " " S1 E. 14 " "
 83.72 Enter at the West Boundary 31 1/2 miles South of the post cor.
 of sec. 13 & 24 T. 12. N. R. 87W and set a post for the cor of
 " 18 & 13 from which
 Oak. 12 in. diam. trees. N40 E. 35 miles dist. Va.
 Hickory 15 " " " S2 E. 34 " "
 Do. 2 in. diam. trees.

North Return Sur. 17th 188 T. 12. N. R. 77W V. 6° 30'

40.00 Set a 1/4 section from which
 Hickory 10 in. diam. trees S20 E. 42 miles dist. Va.
 73 Oak. 20 " " " S28 W. 28 " "
 73.50 To the Brook. 15 miles wide, comes at N.
 80.00 Set a post for the cor of sec. 7, 8, 17, & 18 from which
 Buck. 15 in. diam. trees. S77 W. 39 miles dist. Va.
 Do. 18 " " " S75 E. 18 " "

East On a Random line between Sur. 8 & 17 T. 12. N. R. 77W.

40.00 Set a temporary 1/4 section
 79.69 Enter at the NW 1/4 line 44 miles South of the post cor of sec.
 8, 9, 16 & 17. Land the same.

West On the line between Sur. 8 & 17 T. 12. N. R. 77W V. 5° 30'

39.84 Set the temporary 1/4 section at the an. dist on the line from
 which a corner - in diam. trees. N5 E. 34 miles dist.
 and a Buck. 10 " " " S25 E. 5 " "
 79.69 To the post cor of sec. 7, 8, 17 & 18.

West Return Sur. 7 & 18 T. 12. N. R. 77W. T. 5° 30'

40.00 Set a 1/4 section from which
 Hickory 15 in. diam. trees. S66 E. 36 miles dist. Va.
 Do. 15 " " " S87 W. 54 " "

T. N. 10. N. W. No. 7 of 172nd Mer. Sec. 9

63.00	To a Rock 10 links side, Corner at W.
84.60	Intersect the West Boundary 367 links South of the post. Cor of sec. 12 & 13. T 12 N 19. 3 W and set a post for the " " T 118. from which, W. Oak. 15 in. dia. beam. N 31 W. 8 links out; & a, Sugar. 10 " " " S 39 E. 17 " " Lands 2nd rate & Heilly.
North	Return Sec 7 & 8. T 12 N 19. 7 W v. 5° 30'
40.00	Set a 7th & 8th post from which, Sugar. 12 in. dia. beam. S 27 W. 36 links out; & a, E. Oak. 6 " " " N 53 E. 5 " "
72.00	To a small tree, Corner W.
80.00	Set a post for the cor of sec. 5, 6, 7 & 8 from which, Buck. 12 in. dia. beam. S 55 W. 20 links out; & a, " - 12 " " " N 87 E. 40 " " Lands 2nd rate & Heilly.
East	On a Random line between Sec. 5 & 8. T 12 N 19. 7 W v. 5° 30'
40.00	Set a tripit 7th & 8th post
75.00	To a Rock. 15 links side, Corner N.E.
79.75	Intersect the N.E. line 31 links South of the post cor of sec. 4, 5, 8 & 9. Lands 2nd rate; Timber Buck & Oak.
West	On the New line between Sec. 5 & 8. T 12 N 19. 7 W. Dec. 18.
39.87	Set the tripit 7th & 8th post at the cor. with the New line from which, Sugar. 12 in. dia. beam. S 67 E. 26 links out; and a " 8 " " " S 82 W. 2 " "
79.75	Set the post cor. of sec. 5, 6, 7 & 8.
West	Return Sec 6 & 7. T 12 N 19. 7 W v. 5° 30'
40.00	Set a 7th & 8th post from which, Buck 8 in. dia. beam. N 19 W. 9 links out; & a,

T. N. 12. N. R. N. 7 W. 2nd (Mer. Ind. 1st.)

Wash. 26 in. air. beam. S 30 E. 35 miles north:
 42.00 To a Brook 10 miles wide, Corne N.
 85.57 Enter at the West Boundary 300 miles South of the
 corner of Lot. 1 & 12 T. 12 N. R. 8 W. and set apart for
 the cor. of Lot. 6 & 7 from which
 Wash. 14 in. air. beam. S 25 E. 31 miles north; & 1/2
 Sugar. 15 " " " N 30 E. 39 " "
 Lands fully and 2nd rate: Timber Birch, Hickory
 Oak. Sugar, &c.

With Return Jan 5th 46. T. 12 N. R. 7 W. V. 6° 30'
 40.00 Set a N. & W. post from which
 Wash. 6 in. air. beam. S 41 E. 5 miles north; & 1/2
 Elm 6 " " " S 25 W. 25 " "
 46.00 To a Brook 10 miles wide, Corne W.
 57.00 " " Do. 20 " " " W.
 77.72 Enter at the N. Boundary 50 miles West of the post cor.
 of Lot. 31 & 32 T. 13 N. R. 7 W. and set apart for the cor. of
 " 376. from which
 Birch. 12 in. air. beam. S 11 W. 9 miles north; & 1/2
 Do. 10 " " " S 16 E. 57 " "
 Land same.

Surveyed by
 William Harris Esq.

I certify that the foregoing Transcript of the field
 notes of Township N. 12. R. N. 7 West of the 2nd
 Meridian, Indiana, has been compared with the
 Original notes in this Office and found to be correct.
 Surveyor General's Office
 Cincinnati, Nov. 21, 1841

E. S. Haines
 Sur. Genl.